

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878
Date of issue: 10.09.2002 Date of revision: 27.01.2026 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance (UVCB)
Substance name : Pyrolysis light oil from waste plastics
IUPAC name : Pyrolysis light oil from waste plastics
EC number : 942-177-5
CAS number : 100801-72-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Specific industrial/professional uses : Professional use

1.2.2. Uses advised against

Restrictions on use : The product should not be used in any way other than those specified in section 1.

1.3. Details of the supplier of the safety data sheet

SETECO CZ s.r.o.
Lidická 700/19, Veverří, 602 00 Brno CZ22455825
Czech Republic
T +420 607 806 048
jan.hubler@seteco.cu
Qualified person: hana@regartis.com

1.4. Emergency telephone number

Country	Organisation/company	Address	Emergency telephone number	Comments
Czech Republic	Toxicological Information Centre Clinic of Occupational Medicine, General Teaching Hospital and First Faculty of Medicine, Charles University	Na Bojišti 1 120 00 Prague	+420 224 919 293 +420 224 915 402	and only in case of malfunction tel 725 103 658 (otherwise, there may not be a toxicologist available on this line!) Questions regarding ACUTE POISONING in humans and animals are handled exclusively on direct telephone lines TIS 24 hours a day

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flammable liquids, category 2 H226
Hazardous if inhaled, Category 1 H304
Hazardous to the aquatic environment – chronic, Category 3 For H412
full text of H and EUH statements, see Section 16

Adverse physicochemical effects on human health and the environment

No further information available

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Jaroslav Pátek
9 February 2026, 12:54:20

H225

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard warning symbols (CLP) :



Signal word (CLP) :

Danger

Standard hazard statements (CLP) :

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways. H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a doctor.
P331 - DO NOT induce vomiting.

2.3. Other hazards

Based on available data, the product does not contain any PBT or vPvB in percentages higher than 0.1%.
Based on available data, the product does not contain any PBT or vPvB in percentages higher than 0.1%.

The substance is not listed in accordance with Article 59(1) of the REACH Regulation due to endocrine-disrupting properties or is not identified as a substance with endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : UVCB

Substance name	Classification
Pyrolysis light oil from waste plastics EC number: 940-514-0	Flam. Liq. 2 H226 Asp. Tox. 1 H304 Aquatic Chronic 3 H412

Full text of H and EUH statements: see Section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid

First aid for inhalation : Move the person to fresh air and keep them in a position that facilitates breathing. If you do not feel well, seek medical attention.

First aid for skin contact : After skin contact, immediately remove all contaminated clothing and immediately Rinse with plenty of water. If symptoms persist, seek medical attention.

First aid in case of contact with eyes : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easily removable. Continue rinsing. Call a doctor.

First aid if swallowed : Do not induce vomiting. Vomiting: prevent suffocation/inhalation/pneumonia. Consult a doctor/medical service.

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No data available.
Chronic symptoms : Not known.

4.3. Indication for immediate medical attention and special treatment

Treatment is symptomatic. No further information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical powder. Foam.
Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.
Explosion hazard : Non-explosive.
In case of fire, hazardous decomposition products are formed : Possible release of toxic fumes.
products

5.3. Instructions for firefighters

Firefighting measures : Do not inhale smoke from the fire or decomposition vapours.
Firefighting measures : Avoid contact with skin and eyes. It may be necessary to use a suitable breathing apparatus.
Protection during firefighting : Use self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For workers other than emergency responders

Protective equipment : In case of inadequate ventilation, use appropriate respiratory equipment.
Emergency plans : Avoid direct contact with the product.
Measures in case of dust release : Ensure adequate ventilation.

6.1.2. For emergency response personnel

Protective equipment : Wear the required personal protective equipment.

6.2. Environmental protection measures

Prevent penetration into drains, ground and surface water, and soil.

6.3. Methods and material for containment and cleaning up

For storage : Cover spilled material with non-combustible material, e.g. sand, earth or vermiculite.
Cleaning methods : Absorb the remaining liquid with sand or inert absorbent material and dispose of it in a safe place.
Further information : Dispose of contaminated items in accordance with applicable regulations.

6.4. Reference to other sections

For disposal instructions after cleaning, see section 13. For the use of personal protective equipment, see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional risks during processing : Avoid inhaling mist, vapours, sprays. Avoid prolonged or repeated exposure.
exposure. Keep away from sources of ignition.
Precautions for safe handling : Avoid contact with skin and eyes.

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage of substances and mixtures, including incompatible substances and mixtures

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking. Keep container closed.

7.3. Specific end use(s)

No further information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure limit values and biological limit values

No further information available

8.1.2. Recommended monitoring procedures

No further information available

8.1.3. Pollutants released into the air

No further information available

8.1.4. DNEL and PNEC

Pyrolysis light oil from waste plastics	
DNEL/DMEL (workers)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	No hazard identified
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	No hazard identified
Long-term - systemic effects, dermal	No hazard identified
Long-term - local effects, dermal	0.824 mg/kg body weight/day repeated dose toxicity
Long-term - systemic effects, inhalation	2.9 mg/m ³ repeated dose toxicity
DNEL/DMEL (general public)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	No hazard identified
Acute - systemic effects, oral	No hazard identified
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	No hazard identified
Long-term - systemic effects, orally	0.294 mg/kg body weight/day repeated dose toxicity
Long-term - systemic effects, inhalation	0.512 mg/m ³ repeated dose toxicity
Long-term - systemic effects, dermal	0.294 mg/kg body weight/day repeated dose toxicity
Long-term - local effects, dermal	No hazard identified
Long-term - local effects, inhalation	No hazard identified
PNEC (water)	
PNEC aqua (freshwater)	36.1 µg/l
PNEC aqua (seawater)	3.61 µg/l
PNEC aqua (intermittent discharge, fresh water)	361 µg/l
PNEC aqua (intermittent discharge, sea water)	36.1 µg/l

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Pyrolysis light oil from waste plastics	
PNEC (sediment)	
PNEC sediment (freshwater)	138 µg/kg dry weight
PNEC sediment (salt water)	13.8 µg/kg dry weight
PNEC (soil)	
PNEC soil	86.1 µg/kg wet weight
PNEC (STP)	
PNEC sewage treatment plant	11 mg/l

8.1.5. Risk bands (Control banding)

No further information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Local exhaust ventilation or general room ventilation is usually required. Emergency shower installed. Use of explosion-proof ventilation equipment design.

8.2.2. Personal protective equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical-resistant goggles or safety goggles

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable gloves tested according to EN374. Wear complete chemical protective clothing.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, use respiratory protection. Wear a respirator compliant with EN140 with a type A/P2 filter or better. This product should not be used in poor ventilation conditions unless a protective mask with a suitable gas filter is used (i.e. type A1 according to EN 14387)

8.2.2.4. Thermal hazards

Protection against the risk of burns:

No data available.

8.2.3. Environmental exposure controls and monitoring

No further information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: No data available.
Odour threshold	: Not available
Melting point/melting range	: -80 °C at 101325 Pa
Freezing point	: Not available

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Boiling point	: 202.1 °C at 101325 Pa
Flammability	: Not available
Limited quantity	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 21 ≤ 55 °C at 101325 Pa
Auto-ignition temperature	: 325 °C
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 0.574 - 1.040 mm ² /s
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 4.3 25 °C
Vapour pressure	: 62.7 kPa 37.8 °C
Density	: Not available
Relative density	: 734.6 - 825 kg/m ³ at 15 °C :
Relative vapour density at 20 °C	Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information relating to physical hazard classes

No further information available

9.2.2. Other safety characteristics

No further information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous polymerisation occurs.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidising agent. Strong oxidising agent.

10.6. Hazardous decomposition products

Thermal decomposition may lead to the release of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the criteria for classification are not met
Acute toxicity (dermal)	: Based on available data, the criteria for classification are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met

Pyrolysis light oil from waste plastics

LD50, oral, rat	2000 mg/kg
-----------------	------------

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Pyrolysis light oil from waste plastics

LD50, dermal, rat	2000 mg/kg body weight
-------------------	------------------------

Skin corrosion/irritation	: Based on available data, the classification criteria are not met. Serious
eye damage/eye irritation	: Based on available data, the criteria for classification are not met.
Respiratory tract sensitisation/skin sensitisation	: Based on available data, the criteria for classification are not met. Germ cell
mutagenicity	: Based on available data, the criteria for classification are not met.
Carcinogenicity	: Based on available data, the criteria for classification are not met.
Reproductive toxicity	: Based on available data, the criteria for classification are not met.
Specific target organ toxicity – single exposure	: Based on available data, the criteria for classification are not met.
Specific target organ toxicity – repeated exposure	: Based on available data, the criteria for classification are not met.
Inhalation hazard	: May be fatal if swallowed and enters airways.

Pyrolysis light oil from waste plastics

Viscosity, kinematic	0.574 mm ² /s
----------------------	--------------------------

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substances listed in accordance with Article 59(1) of the REACH Regulation due to their endocrine-disrupting properties, nor is it identified as a substance with endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.
--	---

11.2.2. Further information

No further information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic organisms, with long-term effects.

Pyrolysis light oil from waste plastics

LC50 - Fish [1]	37 mg/l
EC50 - Crustaceans [1]	36.09 mg/l
EC50 - Crustaceans [2]	48.43 24 hours
EC50 72h - Algae [1]	69.54 mg/l freshwater algae
LOEC (acute)	32 mg/l algae
LOEC (chronic)	22 mg/l aquatic invertebrates, 48 h
NOEC chronic, crustaceans	10 mg/l 48 hours
NOEC chronic, algae	9.6 mg/l

12.2. Persistence and degradability

Pyrolysis light oil from waste plastics

Persistence and degradability	Not biodegradable.
-------------------------------	--------------------

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

12.3. Bioaccumulation potential

Pyrolysis light oil from waste plastics	
Bioconcentration factor (BCF REACH)	1209.21 L/kg ww
Partition coefficient n-octanol/water (Log Pow)	4.3 25 °C
Bioaccumulation potential	Bioaccumulation is not expected.

12.4. Mobility in soil

No further information available

12.5. Results of PBT and vPvB assessment

Pyrolysis light oil from waste plastics	
Based on available data, the product does not contain any PBT or vPvB in percentages higher than 0.1%.	
Based on available data, the product does not contain any PBT or vPvB in percentages higher than 0.1%.	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance is not included in the list compiled in accordance with Article 59(1) of the REACH Regulation due to endocrine-disrupting properties or is not identified as a substance with endocrine-disrupting properties in accordance with the criteria set out in the Regulation. Commission Delegated Power (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

No further information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Local regulations (on waste) : Dispose of as hazardous waste.
Waste disposal methods : Collect all waste in suitable labelled containers and dispose of in accordance with local regulations.
Recommendations for wastewater disposal : Prevent (direct) leakage (of undiluted product) into the environment/sewer system.
Recommendations regarding disposal of the product/packaging : After cleaning, the packaging can be reused, recycled or disposed of in accordance with local regulations.
Additional information : Recommendations for waste disposal: Handle empty containers with care, as residual vapours are flammable. Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to flames, sparks, heat or other potential sources of ignition.
Ecology - waste materials : Prevent penetration into surface water or sewage systems.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1268	UN 1268	UN 1268	UN 1268	UN 1268
14.2. Official (UN) name for transport				
PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
Description of transport document				
UN 1268 PETROLEUM DISTILLATES, N.O.S. (Pyrolysis light oil from waste plastics), 3, III, (D/E)	UN 1268 PETROLEUM DISTILLATES, N.O.S. (Pyrolysis light oil from waste plastics), 3, III	UN 1268 Petroleum distillates, n.o.s. (Pyrolysis light oil from waste plastics), 3, III	UN 1268 PETROLEUM DISTILLATES, N.O.S. (Pyrolysis light oil from waste plastics), 3, III	UN 1268 PETROLEUM DISTILLATES, N.O.S. (Pyrolysis light oil from waste plastics), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packaging group				
III	III	III	III	III
14.5. Environmental hazards				
Environmental hazard: None	Dangerous for the environment: None Causes marine pollution: None	Dangerous for the environment: None	Dangerous for the environment: None	Dangerous for the environment: None
No additional information available				

14.6. Special precautions for users

Land transport Classification	
code (ADR) Special provisions	: F1
(ADR) Limited quantities (ADR)	: 664
Exempted quantities (ADR)	: 5I
Packaging instructions (ADR)	: E1
Provisions for mixed loading (ADR)	: P001, IBC03, LP01, R001
Instructions for portable tanks and bulk containers (ADR)	: MP19
Special provisions for portable tanks and bulk containers (ADR)	: T4
Tank code (ADR)	: TP1, TP29
Vehicle for transporting tanks	
Transport category (ADR)	: LGBF
Special provisions for the transport of items (ADR)	: FL
Special provisions for operation (ADR)	: 3
Hazard identification number (Kemler code)	: V12
Orange plates	: S2
	: 30
	:
	
Restriction code for tunnels (ADR)	: D/E

Transport by sea

Special regulation (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5 L
Excepted quantity (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Special provisions for tankers (IMDG)	: TP1, TP29
EmS No. (fire)	: F-E

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

EmS No. (spillage)	: S-E
Cargo securing category (IMDG)	: A
Properties and observations (IMDG)	: Immiscible with water.

Air transport

Exceptionally small quantities for transport and cargo aircraft (IATA)	: E1
Small quantities for transport and cargo aircraft (IATA)	: Y344
Small maximum net quantity for transport and cargo aircraft (IATA)	: 10L
Packaging instructions for transport and cargo aircraft (IATA)	: 355
Maximum net quantity for transport and cargo aircraft (IATA)	: 60L
Packaging instructions according to CAO (IATA)	: 366
Maximum net quantity according to CAO (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Limited quantities (ADN)	: 5 L
Exempted quantities (ADN)	: E1
Transport permitted (ADN)	: T
Required equipment (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport Classification

codes (RID) Limited quantities (IMDG) Exempted quantities (RID) Packaging instructions (RID)	: F1 : 5L : E1
Provisions for mixed packing (RID)	: P001, IBC03, LP01, R001
Instructions for portable tanks and bulk containers (RID)	: MP19
Special provisions for portable tanks and bulk containers (RID)	: T4
Tank codes for RID tanks (RID)	: TP1, TP29
Transport categories (RID)	: LGBF
Special instructions for the transport of packages (RID)	: 3
Express parcels (colis express) (RID) Hazard identification number (RID)	: W12 : CE4 : 30

14.7. Maritime bulk transport according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/specific legislation for the substance or mixture

15.1.1. EU regulations

Annex XVII of the REACH Regulation (restrictive conditions)

Not listed in Annex XVII of the REACH Regulation

Annex XIV of the REACH Regulation (List of substances subject to authorisation)

Not listed in Annex XIV of the REACH Regulation (List of substances subject to authorisation)

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

List of substances subject to registration under REACH (SVHC)

Not listed in the list of substances subject to registration under REACH

PIC Regulation (EU 649/2012, prior informed consent)

Not listed in the PIC list (Regulation (EU) No 649/2012)

Regulation on Persistent Organic Pollutants (EU 2019/1021, Persistent Organic Pollutants)

Not listed on the POP list (Regulation (EU) 2019/1021)

Regulation on substances that deplete the ozone layer (EU 1005/2009)

Not listed as a substance that depletes the ozone layer (Regulation (EU) No 1005/2009)

Regulation on Explosive Precursors (EU 2019/1148)

Does not contain any substances listed as explosives precursors (Regulation (EU) 2019/1148 on the marketing and use of explosives precursors)

Regulation on drug precursors (EC 273/2004)

Does not contain any substances listed as drug precursors (EC Regulation 273/2004 on the manufacture and placing on the market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No further information available

15.2. Chemical safety assessment

The registrant has not carried out a chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms:

CAS number	CAS number - Chemical Abstracts Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging; Regulation (EC) No 1272/2008
DMEL	Derived level at which minimal adverse effects occur
DNEL	Derived no-effect level
EC number	European Community number
ED	Endocrine disrupting properties
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Full text of H and EUH statements:

Aquatic Chronic 3	Hazardous to the aquatic environment – chronic, category 3
Asp. Tox. 1	Hazardous if inhaled, category 1
Flam. Liq. 2	Flammable liquids, category 2
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long-lasting effects.

Pyrolysis light oil from waste plastics

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product solely in terms of health, safety and environmental protection requirements. It should not be construed as a guarantee of any specific product properties.